
Model #

1374GACg 1374CAFg 1374FSTg McKenzie Bookcase Left + Right Piers

GAC = Glazed Antique Cherry finish CAF = Caffè finish FST = Fieldstone finish Assembly Instructions



Thank you for allowing us to help you furnish your home. We are certain you will be delighted with your new furniture for many years to come. **IMPORTANT NOTES:**

- For normal household use only. Not recommended for commercial use.
- Do not overload the drawers or shelves.
- Unload items before you move this unit.
- This assembly requires two people.

WARNING

Serious or fatal crushing injuries can occur from furniture tip-over. Use of tip-over restraints may only reduce but may not eliminate the risk of tip-over.

To help prevent tip-over:

- Place heaviest items in the bottom shelves.
- Unless specifically designed to accommodate, do not set TVs or other heavy objects on top of this product.
- Never allow children to climb or hang on drawers, doors or shelves.

If you would like a tipping restraint Whittier will provide one free of charge. Please contact our Customer Service Department.

Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the state of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection.

For more information go to: <u>www.p65warnings.ca.gov/wood</u>

This product can expose you to chemicals, including formaldehyde, which are known to the State of California to cause cancer. For more information go to: www.p65warnings.ca.gov/furniture

DESIGN SUBJECT TO CHANGE WITHOUT NOTICE.

CUSTOMER SERVICE

If you ever have questions about your furniture, please do not hesitate to contact us. In the unlikely event you need a replacement part; we can make those parts available through an authorized Whittier Wood Furniture dealer. If you cannot order replacement parts through your dealer, please contact our customer service department.

Hours: Our friendly customer service staff can be reached: Monday-Friday 8:00 a.m. to 5:00 p.m. (Pacific Time).You may leave a message 24 hours a day, seven days a week.

Customer Service: 800-653-3336 • Outside the U.S.: 541-687-0213 Fax: 541-687-2060• Email: info@whittierwood.com



P.O. Box 2827 Eugene, OR 97402 USA

| roduction Code: | | |
|-----------------|--|--|
| | | |

Р

1374GACg 1374CAFg 1374FSTg McKenzie Bookcase Left + Right Piers Parts List

Please identify the parts and check that quantities received match those on this list. If you need to replace a part, refer to the following letter and part name.

| Part | Description | | Quantity |
|------|--|--|---------------------|
| Aa | Left Top Assembly (attached) | | 1 |
| Ва | Right Top Assembly (attached) | | 1 |
| | | | |
| | | | |
| Сс | Case | | 2 |
| D | Back (attached) | • | 2 |
| E | Adjustable Shelf (installed) | | 2 |
| Fb | Door (installed) | | 2 |
| G | Drawer Box (installed) | | 2 |
| | | | |
| Н | Drawer Face (attached) | | 2 |
| I | Knob (attached) | 1 - Contraction of the contracti | 4 |
| Jf | #8 x 1-1/2" Machine Screw Tuscan (installed) | | 4 |
| К | 10" Drawer Slides (pre-installed sets) | 00 00 00 | 2 |
| L | Shelf Bracket (installed) | e | 8 |
| М | #6 x 1/2" Undercut Screw (inserted) | (faur- | 8 |
| N | #8 x 1-1/4" Black Screw | | 6 |
| S | #6 x 5/8" Philtruss Screw (inserted) | (C) IIIIII (C) | 10 |
| т | T-Nut (inserted) | | 8 |
| Xf | #8 x 7/8" Black Lo-Profile Screw (inserted) | aaaaaa () | 8 |
| Y | #8 x 1-1/4" Pan Head Screw (inserted) | *)000000000000» | 14 |
| ZC | Hinge (attached) | | 4 |
| ZD | #6 x 3/4" Philtruss Screw (inserted) | | 8 |
| ZE | #6 x 1/2" Philtruss Screw (inserted) | | 8 |
| 75 | | (kuut- | 0 (GAC) 24 (CAF) |
| ZF | #6 x 5/8" Undercut Screw ZN (inserted) | ~ | 24 (FST) |
| ZG | #8 x 1-3/8" Lo-Profile Screw (inserted) | accececececed () | 8 |


1374GACg 1374CAFg 1374FSTg McKenzie Bookcase Left + Right Piers Parts List

| Part | Description | | Quantity |
|------|--|------------|--------------------------------|
| ZH | Magnetic Lock & Plate (pre-installed sets) | | 2 |
| ZI | #6 x 5/8" Undercut Screw AB (inserted) | (laur- | 28 (GAC) 4 (CAF) 4 (FST) |
| ZJ | Slotted Leveler (installed) | | 8 |
| ZK | Leveler Adjustment Key (attached to Owners Manual) | \bigcirc | 1 |

Tool Required: Phillips Screwdriver.

Tool Provided: Leveler Adjustment Key in the Zip bag taped to the Owner's Manual and Safety Guide.

 To move the Adjustable Shelf (E), remove the #6 x 1/2" Undercut Screws (M) and the Shelf (E). Reposition the Shelf Brackets (L) to the desired positions, replace the shelf and insert the screws. See Figures 1 and 1a.



- 2. Place the unit at its final destination. Use the Leveler Adjustment Key (ZK), found in the Zip bag taped to the Owner's Manual and Safety Guide to rotate the Slotted Levelers (ZJ) on the bottoms of the legs until the unit is level. See Figures 1 and 1b.
- 3. While this is optional, we strongly recommend you complete this step to help make your piers more stable. If you do not wish to screw the piers to the side of your headboard you may contact our Customer service department to request furniture tipping restraint kits for your Piers. Insert six #8 x1-1/4" Black Screws (N) into the predrilled holes on the side panels of the left and right piers and attach the piers to the Bookcase Headboard. See Figure 3.

Door removed for illustration purposes.

