
# 49"w & 54"w McKenzie Bookcase Consoles

AEGAC = Glazed Antique Cherry finish; AEGSP = Glazed Spice finish; AECAF = Caffè finish

### Assembly Instructions



2072AEGAC = 49" 2072AEGSP = 49" 2072AECAF = 49"

### **Congratulations!**

This fine piece of furniture will make a gorgeous addition to your home. For the best results, read the Assembly Instructions before you begin your project.

2073AEGAC = 54"

2073AEGSP = 54"

2073AECAF = 54"

# 

#### Serious or fatal crushing injuries can occur from furniture tip-over. To help prevent tip-over:

- Place heaviest items in the bottom drawers.
- Unless specifically designed to accommodate, do not set TVs or other heavy objects on top of this product.
- Never allow children to climb or hang on drawers, doors or shelves.
- Never open more than one drawer at a time.
  - Use of tip-over restraints may only reduce but not eliminate the risk of tip-over.

# 🕂 IMPORTANT NOTES:

- For normal household use only. *Not* recommended for commercial use.
- Do not climb, sit or stand on this piece of furniture.

Handle the glass plate with care. Glass is fragile.

- Before you begin your project, completely read the Assembly Instructions.
- Store this item: 1- in its box; 2- in a dry place; 3- in temperatures that range from 40°F to 90°F (not on a cold and possibly damp cement floor).
- Periodically inspect your furniture for any loose glue joints, screws or any other problem that might affect the stability of your furniture. Tighten or repair as needed.

DESIGN SUBJECT TO CHANGE WITHOUT NOTICE.



CALL US FIRST! Do not return this item to the store.

**Service Policy:** We will replace any part that is defective, missing or damaged during assembly. Please contact Whittier Wood Products customer service department directly by phone, fax, mail or email for a replacement part.

**Hours:** Our friendly customer service staff can be reached Monday-Friday 7:00 a.m. to 5:00 p.m. (Pacific Time). You may leave a message 24 hours a day, seven days a week.

**To Order:** Designate the finish, provide the furniture model number found underneath the unit, the part letter, production code, quantity needed, reason for replacement, your full name, address and telephone number.

Parts ship from our Eugene, Oregon factory within one or two business days from the time we receive your request. Please allow five to ten business days for delivery.

**800-653-3336** • Outside the U.S. or Canada: 541-687-0213 • Fax: 541-687-2060 www.whittierwood.com • P.O. Box 2827 • Eugene, Oregon 97402, U.S.A.




P.O. Box 2827 Eugene, OR 97402 USA Production Code:

## Glazed Antique Cherry finish (AEGAC) & Glazed Spice finish (AEGSP) & Caffè finish (AECAF) 49" Wide & 54" Wide McKenzie Bookcase Console — Parts List

Before you begin to assemble this unit, identify each part and make sure the quantities received match what is on this list.

If you need to replace a part, please refer to the following list for the part name and letter code.



2073AEGAC shown in the above drawings.


2072AEGAC\_AEGSP\_AECAF\_2073AEGAC\_AEGSP\_AECAF — Page 2 — 02/10

## Glazed Antique Cherry finish (AEGAC) & Glazed Spice finish (AEGSP) & Caffè finish (AECAF) 49" Wide & 54" Wide McKenzie Bookcase Console — Assembly Instructions


TOOL REQUIRED: Phillips Screwdriver



 Place the console at your desired location. Rotate the Adjustable Glides found at the front corners of the unit and at the bottoms of the Assembled Foot (R) until the unit is level. See Figure 2.



To move the Adjustable Shelves (B & C), remove the #6 x 1/2" Undercut Screws (O) and the Shelves (B & C). Reposition the Shelf Brackets (N) to the desired positions, replace the shelf and insert the screws. See Figures 2 and 2a.



### **Tipping Restraint (TR)**

3. Locate two studs in the wall behind the unit. Attach one Clip (T1) to one wall stud with two #8 x 2" Black Screws (T3). See Figure 3a. Attach a second clip the the unit with #8 x 1" Pan Head Screws (T4). See Figure 3b. Connect the two clips with the Nylon Restraint Strap (T2). Pull the Nylon Restraint Strap (T2) tight so there is no slack. See Figures 3a and 3b. Repeat this step to attach the second tipping restraint. If you cannot locate two studs, purchase the proper wall attachment hardware for your type of wall and secure the unit.