
Model #

3496AFGAC; 3496AFCAF McKenzie Console Table

AFGAC = Glazed Antique Cherry finish

AFCAF = Caffè finish

Assembly Instructions



IMPORTANT NOTES:

- For normal household use only. *Not* recommended for commercial use.
- Unload items before you move this unit.
- Do not overload the shelf.
- Before you load or move this unit, tighten all screws and supports.
- Before you begin your project, completely read the Assembly Instructions.
- Store this item: 1- in its box; 2- in a dry place; 3- in temperatures that range from 40°F to 90°F (not on a cold and possibly damp cement floor).
- Periodically inspect your furniture for any loose glue joints, screws or any other problem that might affect the stability of your furniture. Tighten or repair as needed.

DESIGN SUBJECT TO CHANGE WITHOUT NOTICE.

Congratulations!

This fine piece of furniture will make a gorgeous addition to your home. For the best results, read the Assembly Instructions before you begin your project.

CALL US FIRST! Do not return this item to the store

Service Policy: We will replace any part that is defective, missing or damaged during assembly. For a replacement part, directly contact Whittier Wood Products customer service department by phone, fax, mail or email.

Hours: Our friendly customer service staff can be reached Monday-Friday 7:00 a.m. to 5:00 p.m. (Pacific Time). You may leave a message 24 hours a day, seven days a week.

To Order: Provide the finish and furniture model number (upper portion of this page), the part letter, production code, quantity needed, reason for replacement and your full name, address and telephone number.

Parts ship from our Eugene, Oregon factory within one or two business days from the time we receive your request. Please allow five to ten business days for delivery.

800-653-3336 • Outside the U.S. or Canada: 541-687-0213 • Fax: 541-687-2060 www.whittierwood.com • P.O. Box 2827 • Eugene, Oregon 97402, U.S.A.



P.O. Box 2827 Eugene, OR 97402 USA


| Production Code: | |
|------------------|-------|
| | |
| | |
| VN | 10/12 |

Please identify the parts and check that quantities received match those on this list. If you need to replace a part, refer to the following letter and part name.


| Part | Description | | Quantity |
|------|-----------------------------------|---|---------------------|
| A | Top Assembly | | 1 |
| В | Leg | | 4 |
| С | Shelf Assembly | | 1 |
| D | #8 x 1-1/4" Pan Head Screw | *************************************** | 38 (30 inserted) |
| Е | 5/16" Flat Washer | \bigcirc | 4 |
| F | 3/8" x 2-1/2" Hex Bolt | | 4 |
| G | 3/8" x 1" Insert Nut (inserted) | | 4 |
| Н | 1/4" x 20mm Insert Nut (inserted) | | 4 |
| 1 | Adjustable Glide (installed) | | 4 |
| J | Wood Dowel (inserted) | | 4 |

Tools Required: Phillips Screwdriver, 9/16" or Adjustable Wrench


 Turn the Top Assembly (A) upside-down on a clean, protected surface. Position the Legs (B) in the corners so the Insert Nuts (G) face in. LOOSELY attach with four 5/16" Flat Washers (E) and four 3/8" x 2-1/2" Hex Bolts (F) (the legs should be wobbly). See Figures 1 and 1a.



2. Turn the Shelf Assembly (C) upside-down and place the dowels into the dowel holes in the Legs. Tighten the Hex Bolts on the Legs. See Figure 2.



3. Using the pocket holes as guides, secure the Shelf (C) to the Legs (B) with eight #8 x 1-1/4" Pan Head Screws (D). See Figures 3 and 3a.



4. Turn the table upright and place at its final destination. To level the table, rotate the Adjustable Glides (I) found on the bottoms of the legs. See Figure 4.

